



according to Regulation (EC) No 1907/2006

## **Cyanacrylate Adhesive**

Revision date: 20.12.2019 Product code: 14-35 Page 1 of 7

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Cyanacrylate Adhesive

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Adhesives, sealants

### Uses advised against

Reserved for industrial and professional use.

### 1.3. Details of the supplier of the safety data sheet

Company name: ITW LLC & Co. KG
Street: Mühlackerstrasse 149
Place: D-75417 Mühlacker
Telephone: ++49(0)7041-96340

e-mail: info@itwcp.de Internet: www.itwcp.de

Responsible Department: Produktsicherheit Mo. - Do. 8.00 - 16.30 Fr. 8.00 - 14.00

Swiss Toxicological Information Centre - Téléphone : +41 44 251 51 51 (in

Telefax: ++49(0)7041-963429

Switzerland dial 145)

United Kingdom: National Poisons Information Service - Phone number:

8448920111

Österreich: Vergiftungsinformationszentrale Vienna - Telefon-Nummer: +43 1

406 43 43

Schweiz: Tox Info Suisse - Telefon-Nummer: +41 44 251 51 51 Italia: Centro Antiveleni, Roma - Numero di telefono: +39 06 305 4343 España: Instituto Nacional de Toxicología - Teléfono: +34 91 562 04 20

## 1.4. Emergency telephone

number:

Deutschland: ++49(0)7041-96340

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

**Hazard Statements:** 

May cause respiratory irritation.
Causes serious eye irritation.
Causes skin irritation.


### 2.2. Label elements

### Regulation (EC) No. 1272/2008

### Hazard components for labelling

Ethyl-2-cyanacrylat Ethyl cyanoacrylate

Signal word: Warning





according to Regulation (EC) No 1907/2006

# **Cyanacrylate Adhesive**

Revision date: 20.12.2019 Product code: 14-35 Page 2 of 7

### Pictograms:



#### **Hazard statements**

H335 May cause respiratory irritation.
H319 Causes serious eye irritation.
H315 Causes skin irritation.

### **Precautionary statements**

P501 Dispose of contents/container to Dispose of this material and its container to hazardous or

special waste collection point. .

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

### Special labelling of certain mixtures

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of

children.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	GHS Classification				
7085-85-0	ethyl 2-cyanoacrylate				
	230-391-5	607-236-00-9			
	Eye Irrit. 2, STOT SE 3, Skin Irrit. 2; H319 H335 H315				
123-31-9	1,4-dihydroxybenzene; hydroquinone; quinol				
	204-617-8	604-005-00-4			
	Carc. 2, Muta. 2, Acute Tox. 4, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1 (M-Factor = 10); H351 H341 H302 H318 H317 H400				

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

Take off contaminated clothing.

#### After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing. Cyanoacrylate containing adhesive. After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.



ITW LLC & Co. KG

according to Regulation (EC) No 1907/2006

## **Cyanacrylate Adhesive**

Revision date: 20.12.2019 Product code: 14-35 Page 3 of 7

### After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### After ingestion

If swallowed, immediately drink: Water. Rinse mouth immediately and drink plenty of water. In case of accident or if you feel unwell, seek medical advice immediately (show this label if possible).

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Carbon dioxide (CO2). Foam. Extinguishing powder.

### Unsuitable extinguishing media

Water with tenside additive. Water.

### 5.2. Special hazards arising from the substance or mixture

Vapours may form explosive mixtures with air. In case of fire may be liberated: Nitrogen oxides (NOx). Carbon monoxide Carbon dioxide (CO2).

# 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### **Additional information**

Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

No data available

### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation as well as local exhaustion at critical locations. Ensure adequate ventilation of the storage area.


# Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

## Further information on handling

Keep only in the original container at temperature not exceeding 7 °C.

# 7.2. Conditions for safe storage, including any incompatibilities





according to Regulation (EC) No 1907/2006

## **Cyanacrylate Adhesive**

Revision date: 20.12.2019 Product code: 14-35 Page 4 of 7

### Requirements for storage rooms and vessels

Keep container tightly closed. storage temperature: 5-7°C

#### Hints on joint storage

Do not store together with:

### Further information on storage conditions

Keep locked up and out of reach of children. Keep away from heat. Keep/Store only in original container.

### 7.3. Specific end use(s)

No data available

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7085-85-0	Ethyl cyanoacrylate	0.3	1.5		STEL (15 min)	WEL
123-31-9	Hydroquinone	-	0.5		TWA (8 h)	WEL

### 8.2. Exposure controls





### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink. Avoid contact with skin.

### Eye/face protection

Tightly sealed safety glasses.

#### Hand protection

DIN EN 374 Tested protective gloves are to be worn: Butyl rubber. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

# Skin protection

Wear suitable protective clothing.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Combination filter device (DIN EN 141)...

#### **Environmental exposure controls**

No data available

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: stinging

### Changes in the physical state

ITW LLC & Co. KG



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **Cyanacrylate Adhesive**

Revision date: 20.12.2019 Product code: 14-35 Page 5 of 7

Flash point: > 80 °C

Density: 1,09 g/cm³

Water solubility: hydrolyzed

Viscosity / dynamic: 1800-2200 mPa·s
(at 25 °C)

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

Keep away from heat. Protect from sunlight.

### 10.3. Possibility of hazardous reactions

Danger of polymerisation

### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

No data available

### 10.6. Hazardous decomposition products

No data available

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

Processing vapours can irritate the respiratory tracts, skin and eyes. not sensitising.

#### **Acute toxicity**

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
123-31-9	1,4-dihydroxybenzene; hydroquinone; quinol				
	oral	LD50 302 mg/kg	Rat	IUCLID	

### Irritation and corrosivity

Irritating to eyes. Following inhalation: Lung irritation. Coughing. shortage of breath. After skin contact: irritant.

### Sensitising effects

not sensitising.

### Carcinogenic/mutagenic/toxic effects for reproduction

No data available

## STOT-repeated exposure

No data available


#### Additional information on tests

No data available

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

No data available





according to Regulation (EC) No 1907/2006

# **Cyanacrylate Adhesive**

Revision date: 20.12.2019 Product code: 14-35 Page 6 of 7

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
123-31-9	1,4-dihydroxybenzene; hydroquinone; quinol						
	Acute fish toxicity	LC50 mg/l	0,44	96 h	Pimephales promelas	IUCLID	
	Acute algae toxicity	ErC50 mg/l	0,335		Selenastrum capricornutum	IUCLID	
	Acute crustacea toxicity	EC50 mg/l	0,29	48 h	Daphnia magna		

### 12.2. Persistence and degradability

No data available

# 12.3. Bioaccumulative potential

No data available

## 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

No data available

#### 12.6. Other adverse effects

No data available

#### **Further information**

No data available

### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

### Advice on disposal

Dispose of waste according to applicable legislation.

## Waste disposal number of waste from residues/unused products

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

### Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

#### Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

Other applicable information (land transport)


Not restricted

### Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not restricted

Marine transport (IMDG)





according to Regulation (EC) No 1907/2006

## **Cyanacrylate Adhesive**

Revision date: 20.12.2019 Product code: 14-35 Page 7 of 7

### Other applicable information (marine transport)

Not restricted

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN3334

14.2. UN proper shipping name: AVIATION REGULATED LIQUID, N.O.S. (Cyanoacrylate ester)

14.3. Transport hazard class(es): 9
Hazard label: 9



Special Provisions: A27
Limited quantity Passenger: 30 kg G

IATA-packing instructions - Passenger: 964
IATA-max. quantity - Passenger: 100 L
IATA-packing instructions - Cargo: 964
IATA-max. quantity - Cargo: 220 L

### Other applicable information (air transport)

E1 : Y964

H302

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

Harmful if swallowed.

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of

children.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)